




DROP 4427-MCC

PROJECT PROJÉT
SPEC TYPE
NOTES



ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE

MODEL MODÈLE	CODE
4427-3 DROP 3 (3 X SHADES)	
4427-6 DROP 6 (6 X SHADES)	
SHADE OPTION OPTION D'ABAT-JOUR	MCC
MCC ALVER	
LIGHT SOURCE SOURCE LUMINEUSE	
(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO)	
INC.60  60W, INC, A19 / B10 / G30 / HAL T10, MEDIUM BASE (120V ONLY)	
LED.4  4W, LED	
COLOR TEMPERATURE TEMPÉRATURE DE COULEUR	
FOR LED ONLY	
27 2700K	
30 3000K	
35 3500K	
40* 4000K	
*LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE	
COLOR RENDERING INDEX (CRI) INDICE DE RENDU DE COULEUR (IRC)	
FOR LED ONLY - MANDATORY	
90 90+ CRI	
ANGLE BEAM ANGLE DE DIFFUSION	
FOR LED ONLY	
17 17°	
48 48°	
VOLTAGE VOLTAGE	
120V 120 VOLT	
277V 277 VOLT	
DIMMING OPTION OPTION DE GRADATION	
FOR LED ONLY	
DV 0-10V DIMMING (120-277V)	
DP PHASE DIMMING (120V ONLY)	
CABLE CABLE	C
C CLEAR CABLE, FIELD ADJUSTABLE	
CABLE LENGTH LONGUEUR DE CABLE	
60 60" CABLE (STD LENGTH)	
** CUSTOM CABLE LENGTH (PLEASE SPECIFY)	
FOR OVERALL LENGTH PLEASE CONTACT YOUR EUREKA REPRESENTATIVE.	
STRUCTURE FINISH FINI STRUCTURE	CHR
CHR CHROME	
DIFFUSER FINISH FINI DIFFUSEUR	
BLK BLACK	
CHR CHROME	

PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT

- BIM**
- DIM**
- IES**
- LED**

DESIGN: Drop is a beautiful chrome canopy platform designed to suspend groups of 3 or 6 selected fixtures.

INSTALLATION: Mounts on standard junction boxes, and comes with support hook for easy installation.

LIGHT SOURCE: LED and other light sources with dimming available.

STRUCTURE: Spun steel with a chrome finish.

CERTIFIED: c-CSA-us


CONCEPTION: Drop est une jolie plate-forme chromée pour 3 ou 6 suspensions de luminaires sélectionnés.

INSTALLATION: Des crochets de support sont fournis pour faciliter l'installation sur une boîte de jonction standard.

SOURCE LUMINEUSE: DEL et autres sources lumineuses avec options de gradation offertes.


STRUCTURE: Pavillon en acier repoussé et chromé.

CERTIFIÉ: c-CSA-us




EASY INSTALLATION

- Heavy duty bracket that mounts on standard junction box
- Comes with support hooks for easy installation
- Extra mounting points to reinforce




CANOPY

Spun steel with Chrome finish





SIMPLE

Canopy houses all electrical components for quick assembly




SUSPENSION
60 inch of cable



CANOPY CONFIGURATION




LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.											
			LIGHT SOURCE			DEL		HAL		INC				
			DEL	HAL	INC	3	6	3	6	3	6			
VEGA	XBL	3	6				33W	66W						
ALVER	MCC	3	6	X		X	12W	24W					180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W				
SPROKET	CFD	3	6	X			12W	24W						
MEHA	UAC	3	6	X			12W	24W						
FACET	UFC	3	6	X			12W	24W						
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W						
FASIL	XB/XBA	3	6	X			33W	66W						
DELTA	VDP/VDPA	3	6	X			33W	66W						
SENET	XFY	3		X			45W							
DELTA	VDX/VDXA	3	6	X			45W	90W						
SHAKER	QFI	3		X	X		12W		150W			180W		




INSTALLATION FACILE ET ROBUSTE
 - Crochets de support fournis pour faciliter l'installation sur une boîte de jonction standard
 - Trous de montage supplémentaires pour renforcer la structure



PAVILLON
 Acier repoussé et chromé





SIMPLE
 Jolie plate-forme chromée pouvant accueillir de 3 à 6 luminaires



SUSPENSION
 60 pouces de câble

DIMENSIONS DISPONIBLE



LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.									
			LIGHT SOURCE			DEL		HAL		INC		
			DEL	HAL	INC	3	6	3	6	3	6	
VEGA	XBL	3	6				33W	66W				
ALVER	MCC	3	6	X		X	12W	24W			180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W		
SPROKET	CFD	3	6	X			12W	24W				
MEHA	UAC	3	6	X			12W	24W				
FACET	UFC	3	6	X			12W	24W				
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W				
FASIL	XB/XBA	3	6	X			33W	66W				
DELTA	VDP/VDPA	3	6	X			33W	66W				
SENET	XFY	3		X			45W					
DELTA	VDX/VDXA	3	6	X			45W	90W				
^A SHAKER	QFI	3		X	X		12W		150W		180W	