

# DROP 4427-QFI


PROJECT PROJET
SPEC TYPE
NOTES



## FAMILY FAMILLE



4171-QFI      4424-QFI      4425-QFI




ORDERING SPECIFICATION	SPÉCIFICATION DE COMMANDE	CODE
<b>MODEL MODÈLE</b>	<b>4427-3</b> DROP 3 (3 X SHADES)	<b>4427-3</b>
<b>SHADE OPTION OPTION D'ABAT-JOUR</b>	<b>QFI</b> SHAKER	<b>QFI</b>
<b>LIGHT SOURCE SOURCE LUMINEUSE</b>	(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO) <b>MR16C.50</b> 50W, HAL, MR16C, GU5.3 BASE <b>INC.60</b> 60W, INC, A19 / B10 / G30 / HAL T10, MEDIUM BASE (120V ONLY) <b>LED.4</b> 4W, LED	
<b>COLOR TEMPERATURE TEMPÉRATURE DE COULEUR</b>	FOR LED ONLY <b>27</b> 2700K <b>30</b> 3000K <b>35</b> 3500K <b>40*</b> 4000K <small>*LONGER LEAD TIME MAY APPLY, PLEASE CONTACT YOUR EUREKA REPRESENTATIVE</small>	
<b>COLOR RENDERING INDEX (CRI) INDICE DE RENDU DE COULEUR (IRC)</b>	FOR LED ONLY- MANDATORY <b>90</b> 90+ CRI	
<b>VOLTAGE VOLTAGE</b>	<b>120V</b> 120 VOLT <b>277V</b> 277 VOLT	
<b>DIMMING OPTION OPTION DE GRADATION</b>	FOR LED ONLY <b>DV</b> 0-10V DIMMING (120-277V) <b>DP</b> PHASE DIMMING (120V ONLY)	
<b>CABLE CABLE</b>	<b>C</b> CLEAR CABLE, FIELD ADJUSTABLE	<b>C</b>
<b>CABLE LENGTH LONGUEUR DE CABLE</b>	<b>60</b> 60" CABLE (STD LENGTH) <b>**</b> CUSTOM CABLE LENGTH (PLEASE SPECIFY) <small>FOR OVERALL LENGTH PLEASE CONTACT YOUR EUREKA REPRESENTATIVE.</small>	
<b>STRUCTURE FINISH FINI STRUCTURE</b>	<b>CHR</b> CHROME	<b>CHR</b>
<b>DIFFUSER FINISH FINI DIFFUSEUR</b>	<b>CLR</b> CLEAR <b>TCHR</b> TRANSLUCENT CHROME <b>TGOL</b> TRANSLUCENT GOLD	

## PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT




<b>DESIGN:</b>	Drop is a beautiful chrome canopy platform designed to suspend groups of 3 fixtures.
<b>INSTALLATION:</b>	Mounts on standard junction boxes, and comes with support hook for easy installation.
<b>LIGHT SOURCE:</b>	LED and other light sources with dimming available.
<b>STRUCTURE:</b>	Spun steel with a chrome finish.
<b>CERTIFIED:</b>	c-CSA-us
<b>CONCEPTION:</b>	Drop est une jolie plate-forme chromée pour 3 suspensions.
<b>INSTALLATION:</b>	Des crochets de support sont fournis pour faciliter l'installation sur une boîte de jonction standard.
<b>SOURCE LUMINEUSE:</b>	DEL et autres sources lumineuses avec options de gradation offertes.
<b>STRUCTURE:</b>	Pavillon en acier repoussé et chromé.
<b>CERTIFIÉ:</b>	c-CSA-us




### EASY INSTALLATION

- Heavy duty bracket that mounts on standard junction box
- Comes with support hooks for easy installation
- Extra mounting points to reinforce




### CANOPY

Spun steel with Chrome finish





### SIMPLE

Canopy houses all electrical components for quick assembly




SUSPENSION  
60 inch of cable



### CANOPY CONFIGURATION




LUMINAIRES	CODE	NB. DE LUM.	LIGHT SOURCE			WATT MAX.						
			DEL	HAL	INC	DEL		HAL		INC		
						3	6	3	6	3	6	
VEGA	XBL	3	6				33W	66W				
ALVER	MCC	3	6	X		X	12W	24W			180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W		
SPROKET	CFD	3	6	X			12W	24W				
MEHA	UAC	3	6	X			12W	24W				
FACET	UFC	3	6	X			12W	24W				
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W				
FASIL	XB/XBA	3	6	X			33W	66W				
DELTA	VDP/VDPA	3	6	X			33W	66W				
SENET	XFY	3		X			45W					
DELTA	VDX/VDXA	3	6	X			45W	90W				
SHAKER	QFI	3		X	X		12W		150W		180W	




**INSTALLATION FACILE ET ROBUSTE**  
 - Crochets de support fournis pour faciliter l'installation sur une boîte de jonction standard  
 - Trous de montage supplémentaires pour renforcer la structure



**PAVILLON**  
 Acier repoussé et chromé





**SIMPLE**  
 Jolie plate-forme chromée pouvant accueillir de 3 à 6 luminaires



**SUSPENSION**  
 60 pouces de câble

## DIMENSIONS DISPONIBLE



LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.									
			LIGHT SOURCE			DEL		HAL		INC		
			DEL	HAL	INC	3	6	3	6	3	6	
VEGA	XBL	3	6				33W	66W				
ALVER	MCC	3	6	X		X	12W	24W			180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W		
SPROKET	CFD	3	6	X			12W	24W				
MEHA	UAC	3	6	X			12W	24W				
FACET	UFC	3	6	X			12W	24W				
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W				
FASIL	XB/XBA	3	6	X			33W	66W				
DELTA	VDP/VDPA	3	6	X			33W	66W				
SENET	XFY	3		X			45W					
DELTA	VDX/VDXA	3	6	X			45W	90W				
<sup>A</sup> SHAKER	QFI	3		X	X		12W		150W		180W	