

# DROP 4427-XFY

PROJECT PROJET

SPEC TYPE

NOTES



FAMILY FAMILLE




3217



4234-XFY

4427-3-XFY




ORDERING SPECIFICATION SPÉCIFICATION DE COMMANDE		CODE
<b>MODEL MODÈLE</b>		4427-3
<b>4427-3</b>	DROP 3 (3 X SHADES)	
<b>SHADE OPTION OPTION D'ABAT-JOUR</b>		XFY
<b>XFY</b>	SENET	
<b>LIGHT SOURCE SOURCE LUMINEUSE</b>		
<small>(WATTAGE, LAMP TYPE, LAMP FORM, BASE TYPE, OTHER INFO)</small>		
<b>LED</b>	REGULAR OUTPUT	
<b>LED.HO</b>	HIGH OUTPUT	
<b>COLOR TEMPERATURE TEMPÉRATURE DE COULEUR</b>		
<b>30</b>	3000K	
<b>35</b>	3500K	
<b>40</b>	4000K	
<b>VOLTAGE VOLTAGE</b>		
<b>120V</b>	120 VOLT	
<b>277V</b>	277 VOLT	
<b>DIMMING OPTION OPTION DE GRADATION</b>		
<b>DV</b>	0-10V DIMMING (120-277V)	
<b>DP</b>	PHASE DIMMING (120V ONLY)	
<b>CABLE CABLE</b>		AC
<b>AC</b>	AIRCRAFT MOUNTING & CLEAR CABLE, FIELD ADJUSTABLE	
<b>CABLE LENGTH LONGUEUR DE CABLE</b>		
<b>60</b>	60" AIRCRAFT CABLE (STD LENGTH)	
<b>**</b>	CUSTOM AIRCRAFT CABLE LENGTH (PLEASE SPECIFY) FOR OVERALL LENGTH PLEASE CONTACT YOUR EUREKA REPRESENTATIVE.	
<b>STRUCTURE FINISH FINI STRUCTURE</b>		CHR
<b>CHR</b>	CHROME	
<b>DIFFUSER FINISH FINI DIFFUSEUR</b>		WH
<b>WH</b>	WHITE	

## PRODUCT CHARACTERISTICS CARACTÉRISTIQUES DU PRODUIT


**BIM** **DIM** **IES** **LED**

<b>DESIGN:</b>	Drop is a beautiful chrome canopy platform designed to suspend groups of 3 or 6 selected fixtures.
<b>INSTALLATION:</b>	Mounts on standard junction boxes, and comes with support hook for easy installation.
<b>LIGHT SOURCE:</b>	LED and other light sources with dimming available.
<b>STRUCTURE:</b>	Spun steel with a chrome finish.
<b>CERTIFIED:</b>	c-CSA-us
<b>CONCEPTION:</b>	Drop est une jolie plate-forme chromée pour 3 ou 6 suspensions de luminaires sélectionnés.
<b>INSTALLATION:</b>	Des crochets de support sont fournis pour faciliter l'installation sur une boîte de jonction standard.
<b>SOURCE LUMINEUSE:</b>	DEL et autres sources lumineuses avec gradation offertes.
<b>STRUCTURE:</b>	Pavillon en acier repoussé et chromé.
<b>CERTIFIÉ:</b>	c-CSA-us




### EASY INSTALLATION

- Heavy duty bracket that mounts on standard junction box
- Comes with support hooks for easy installation
- Extra mounting points to reinforce




### CANOPY

Spun steel with Chrome finish





### SIMPLE

Canopy houses all electrical components for quick assembly



SUSPENSION  
60 inch of cable

### CANOPY CONFIGURATION




LUMINAIRES	CODE	NB. DE LUM.	LIGHT SOURCE			WATT MAX.						
			DEL	HAL	INC	DEL		HAL		INC		
						3	6	3	6	3	6	
VEGA	XBL	3	6				33W	66W				
ALVER	MCC	3	6	X		X	12W	24W			180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W		
SPROKET	CFD	3	6	X			12W	24W				
MEHA	UAC	3	6	X			12W	24W				
FACET	UFC	3	6	X			12W	24W				
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W				
FASIL	XB/XBA	3	6	X			33W	66W				
DELTA	VDP/VDPA	3	6	X			33W	66W				
SENET	XFY	3		X			45W					
DELTA	VDX/VDXA	3	6	X			45W	90W				
SHAKER	QFI	3		X	X		12W		150W		180W	





225 de Liège Ouest, Suite #200  
 Montréal (QC), Canada H2P 1H4  
 Tel : 514.385.3515 Fax : 514.385.4169  
 www.eurekalighting.com




4427




**INSTALLATION FACILE ET ROBUSTE**  
 - Crochets de support fournis pour faciliter l'installation sur une boîte de jonction standard  
 - Trous de montage supplémentaires pour renforcer la structure



**PAVILLON**  
 Acier repoussé et chromé





**SIMPLE**  
 Jolie plate-forme chromée pouvant accueillir de 3 à 6 luminaires



**SUSPENSION**  
 60 pouces de câble

## DIMENSIONS DISPONIBLE



LUMINAIRES	CODE	NB. DE LUM.	WATT MAX.									
			LIGHT SOURCE			DEL		HAL		INC		
			DEL	HAL	INC	3	6	3	6	3	6	
VEGA	XBL	3	6				33W	66W				
ALVER	MCC	3	6	X		X	12W	24W			180W	360W
ROLO PENDANT	MAD	3	6	X	X		12W	24W	150W	300W		
SPROKET	CFD	3	6	X			12W	24W				
MEHA	UAC	3	6	X			12W	24W				
FACET	UFC	3	6	X			12W	24W				
SILENE	JDJ/JDJA/JMJ	3	6	X			12W	24W				
FASIL	XB/XBA	3	6	X			33W	66W				
DELTA	VDP/VDPA	3	6	X			33W	66W				
SENET	XFY	3		X			45W					
DELTA	VDX/VDXA	3	6	X			45W	90W				
<sup>A</sup> SHAKER	QFI	3		X	X		12W		150W		180W	